
Mercury Chemical Corporation

MATERIAL SAFETY DATA

SECTION 1: **PRODUCT IDENTIFICATION**

Material Name (Trade Name): PolyLev CAL

Product Code # FCLA-085

Manufacturer: Mercury Chemical Corporation

Chemical Name: Leveling Agent

Chemical Family: Blend

Emergency Telephone Numbers: (336)226-9152

MSDS Number: 001

Effective Date: 11/16/04

Revision #: 001

SECTION 2: **INGREDIENTS**

<u>Material/CAS</u>	<u>%</u>	<u>Health Hazard Data</u>
---------------------	----------	---------------------------

This product is manufactured not to contain any hazardous components as defined in CFR 1910.1200

EMERGENCY PHONE: (336)226-9152

Mercury Chemical Corporation, P. O. Box 2773, Burlington, NC 27216-2773

SECTION 3: PHYSICAL DATA

Boiling Point: 212 deg. F
Solubility in Water: Soluble
Vapor Pressure: (mm Hg) N/E
Vapor Density: N/E
% Volatile by Weight:
pH: (neat) : 6.0 – 8.0
Appearance/Odor: Water-white liquid with slight odor.

SECTION 4: FIRE AND EXPLOSION DATA

Flash Point (F): >127 deg. F. (closed cup)
Flammable Limits (%): Not known
Extinguishing Media: Carbon dioxide, water spray, dry chemical and foam.

Special Firefighting Procedures:

Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.

Unusual Fire and Explosion Hazards:

None expected.

SECTION 5: HEALTH HAZARD INFORMATION/FIRST AID

Toxicology: No components are listed carcinogens.

Exposure Standards: Not available

Signs and Symptoms of Exposure:

Contact with the eyes and skin causes irritation and redness. Ingestion may cause headache, nausea and/or vomiting. Contact with skin may cause redness and irritation.

Prolonged exposures to vapors may be irritating to nose, throat and respiratory tract producing symptoms of dizziness, headache and nausea.

FIRST AID

Eye Contact:

Immediately flush eyes with copious quantities of water for a minimum of fifteen (15) minutes. Use fingers to separate eyelids to assure that the eyes are being irrigated. Process should begin within one minute of eye contact. Call a physician.

Skin Contact:

Wash exposed skin with copious quantities of soapy water. Remove all contaminated clothing and wash before re-use

Inhalation:

Remove to fresh air. If breathing impaired, assisted respiration (mouth to mouth) may be indicated as well as supplemental oxygen. Seek medical attention.

Ingestion:

If swallowed, call a physician immediately. Do not induce vomiting. Give 1-2 glasses of water to dilute. Never give anything by mouth to an unconscious person.

SECTION 6: REACTIVITY DATA

Stability: Generally stable

Conditions to Avoid: Keep away from heat and flames.

Incompatibility (Materials to Avoid): Oxidizing materials and copper alloys.

Hazardous Decomposition or By-Products: Oxides of carbon and nitrogen

Hazardous Polymerization: Does not occur.

SECTION 7: SPILL, LEAK AND DISPOSAL PROCEDURES

Steps to be taken in case material is released or spilled:

Contain spill and ventilate area, Absorb on inert media and containerize for disposal and prevent spill from entering natural watercourses.

Waste Disposal Method:

Dispose in approved landfill. Comply with all federal, state and local regulations.

Precautions to be taken when handling and storing:

Keep away from oxidizers, heat or flames. Keep in a cool, dry ventilated storage and in closed containers. Do not store in aluminum containers. Avoid contact with skin, eyes and clothing.

SECTION 8: SPECIAL PROTECTION INFORMATION

Respiratory Protection:

Keep container closed. Avoid prolonged breathing of vapors or mists. In poorly ventilated areas, masks of the cartridge type (NIOSH) approved for organic vapors are recommended. Generally, respiratory protection is unnecessary provided there is adequate ventilation.

Eye Protection:

Chemical safety goggles to be used when working with mists, dust or liquids.

Other Protective Clothing and Equipment:

**Eye wash stations readily accessible
Safety shower
Long sleeved clothing**

Work and Hygienic Practices:

Wash at the end of each workshift and before eating, smoking or using the toilet. Change work clothing daily before leaving the work place.

SECTION 9: SPECIAL PRECAUTIONS & HANDLING INFORMATION

CALIFORNIA Proposition 65 (reportable materials): NONE

<u>Material</u>	<u>CAS#</u>	<u>Concentration (%)</u>
-----------------	-------------	--------------------------

MASSACHUSETTS Right-To-Know, Substance Inventory (MSL) lists hazardous substances and extraordinarily hazardous substances which must be identified when present in products. (>+=0.0001%)

Components present in this product at a level which could require reporting under this statute are:

Extraordinarily Hazardous Substances

<u>Material</u>	<u>CAS#</u>	<u>Concentration (%)</u>
-----------------	-------------	--------------------------

Other Hazardous Substances

<u>Material</u>	<u>CAS#</u>	<u>Concentration (%)</u>
-----------------	-------------	--------------------------

PENNSYLVANIA Right-To-Know, Hazardous Substances Inventory lists hazardous substances and special hazardous substances which must be identified when present in products.

Components present in this product at a level which could require reporting under this statute are:

<u>Material</u>	<u>CAS#</u>	<u>Concentration (%)</u>
-----------------	-------------	--------------------------

NEW JERSEY Worker and Community Right-To-Know Act Hazardous Substance Inventory lists hazardous components present in this product which could require reporting under this statute are:

<u>Material</u>	<u>CAS#</u>	<u>Concentration (%)</u>
-----------------	-------------	--------------------------

SECTION 11: TRANSPORTATION INFORMATION

DOT Proper Shipping Name: Liquid Soap

DOT Exceptions and Additional Labels Required: None

Other Labeling Information: None

Reportable Quantity: N/A

Freight Class: 55

The information contained herein is based on the data available to us and is believed to be correct. However, MERCURY CHEMICAL CORPORATION makes no warranty, expressed or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. MERCURY CHEMICAL CORPORATION assumes no responsibility for injury from the use of the product described herein.
