

Mercury Chemical Corp

MATERIAL SAFETY DATA

SECTION 1: PRODUCT IDENTIFICATION

Material Name (Trade Name): MercoLube SP

Product Code # FCDA-111

Manufacturer: Mercury Chemical Corp

Chemical Name: Polyacrylamide lubricant

Chemical Family: Dyebath auxiliary

Emergency Telephone Numbers: (336) 226-9152

MSDS Number: 001

Effective Date: 08/28/03

Revision #: 01

SECTION 2: INGREDIENTS

<u>Material/CAS</u>	<u>%</u>	<u>Health Hazard Data</u>
---------------------	----------	---------------------------

**This product is manufactured not to contain a hazardous component as defined
In 29 CFR 1910.1200**

EMERGENCY PHONE: (336) 226-9152

Mercury Chemical Corp 751 Queen Ann Street, Burlington NC 27217

SECTION 3: PHYSICAL DATA

Boiling Point: 212 deg. F
Solubility in Water: Soluble
Vapor Pressure: N/A
Vapor Density: N/A
% Volatile by Weight: >50
pH: (_Neat_) : 7.0 – 8.0
Appearance/Odor: White stringy liquid with mild odor

SECTION 4: FIRE AND EXPLOSION DATA

Flash Point (F): > 200 deg. F.
Flammable Limits (%): Not known
Extinguishing Media: Carbon dioxide and foam. Water can be used, but
Precautions must be taken due to slick nature of material.

Special Firefighting Procedures:

Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Use water spray to cool drums exposed to fire. Secure footing is necessary.

Unusual Fire and Explosion Hazards: None known

SECTION 5: HEALTH HAZARD INFORMATION/FIRST AID

Toxicology: No components are listed as carcinogens.

Exposure Standards: None known

Signs and Symptoms of Exposure:

Contact with the eyes causes irritation and redness. Ingestion may cause headache, nausea and/or vomiting. Contact with skin may cause redness and irritation.

Repeated and/or prolonged exposure to low concentration of vapor may cause sore throat, eye irritation, nausea, faintness and/or headache.

Repeated and/or prolonged exposure at low levels may result in: NONE KNOWN

FIRST AID

Eye Contact:

Immediately flush eyes with copious quantities of water for a minimum of fifteen (15) minutes. Use fingers to separate eyelids to assure that the eyes are being irrigated. Call a physician.

Skin Contact:

Wash exposed skin with copious quantities of soapy water.

Inhalation:

There has been no clinical experience with overexposure via the respiratory route. If such exposure should occur, remove patient to fresh air. If breathing is impaired, assisted respiration (mouth to mouth) may be indicated. Supplemental oxygen may be indicated. Seek medical advice.

Ingestion:

If swallowed, call a physician immediately. Do not induce vomiting. Remove stomach contents by gastric suction only as directed by medical personnel. Never give anything by mouth to an unconscious person.

SECTION 6: REACTIVITY DATA

Stability: Generally stable

Conditions to Avoid: Keep away from heat and flames

Incompatibility (Materials to Avoid): Oxidizing materials.

Hazardous Decomposition or By-Products: Oxides of carbon

Hazardous Polymerization: Does not occur.

SECTION 7: SPILL, LEAK AND DISPOSAL PROCEDURES

Steps to be taken in case material is released or spilled:

Stop the leak if possible. Absorb on non-reactive absorbent and collect in containers. Shut off or remove all ignition sources. Avoid skin contact. Wear protective clothing.

Waste Disposal Method:

Dispose in approved landfill. Comply with all federal, state and local regulations.

Precautions to be taken when handling and storing:

Keep away from oxidizers, heat or flames. Keep in a cool, dry ventilated storage and in closed containers. Avoid contact with skin or eyes.

SECTION 8: SPECIAL PROTECTION INFORMATION

Respiratory Protection:

Keep container closed. Avoid prolonged breathing of vapors or mists. In poorly ventilated areas, masks of the cartridge type, National Institute for Occupational Safety and Health (NIOSH) approved for organic vapors are recommended. Generally, respiratory protection is unnecessary provided there is adequate ventilation.

Eye Protection:

Chemical safety goggles

Other Protective Clothing and Equipment:

**Eye wash stations readily accessible
Safety shower
Long sleeved clothing**

Work and Hygienic Practices:

Wash at the end of each workshift and before eating, smoking or using the toilet. Change work clothing daily before leaving the work place.

SECTION 9: SPECIAL PRECAUTIONS & HANDLING INFORMATION

Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Keep away from heat, sparks and flame. Keep container closed.

SECTION 10: REGULATORY INFORMATION

Federal EPA

CERCLA: Comprehensive Environmental Response, Compensation and Liability Act of 1980 requires notification to the National Response Center for release of quantities of hazardous substances equal to or greater than the reportable quantities (RQ's) in 40 CFR 302.4.

Components present in this product at a level which could require reporting under this statute are:

<u>Material</u>	<u>CAS#</u>	<u>Concentration (%)</u>
-----------------	-------------	--------------------------

SARA Title III: Superfund Amendments and Reauthorization Act of 1986 requires submission of annual reports of release of toxic chemicals that appear in 40 CFR 372 (for SARA 313). This information must be included in all MSDS's that are copied and distributed for this material.

Components present in this product at a level which could require reporting under this statute are:

<u>Material</u>	<u>CAS#</u>	<u>Concentration (%)</u>
-----------------	-------------	--------------------------

SARA Title III: Superfund Amendments and Reauthorization Act of 1986 requires emergency planning based on Threshold Planning Quantities (TPQs) and release reporting based on reportable quantities (RQs) in 40 CFR 355.

Components present in this product at a level which could require reporting under this statute are:

<u>Material</u>	<u>CAS#</u>	<u>Concentration (%)</u>
-----------------	-------------	--------------------------

TSCA: Toxic Substances Control Act status: The ingredients of this product are on the TSCA inventory.

State Right-To-Know

CALIFORNIA Proposition 65 (reportable materials):

Other Labeling Information: None

Reportable Quantity: N/A

Freight Class: 55

The information contained herein is based on the data available to us and is believed to be correct. However, MAN FUNG TECHNOLOGIES, INC. makes no warranty, expressed or implied, regarding the accuracy of this data or the results to be obtained from the use thereof. MAN FUNG TECHNOLOGIES, INC. assumes no responsibility for injury from the use of the product described herein.
